

DATASHEET

Type: **BAMBOO FOREST**
Name: Pendant light
ID: US1327
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffuser with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description

The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffuser, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/EX3qfddp-y9EgN_8QdnLCYMBgWb2BN-j2Bp_D4EtqFCaLA

CONSTRUCTION SPECIFICATION

Weight: 7.5 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS




BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2023_05
PAGE 1



CM16714

Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes

DATASHEET


FIXING



Download



INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement



BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPA
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2023_05
PAGE 3

DATASHEET

Type: **BAMBOO FOREST**
Name: Pendant light
ID: US1328
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffusor with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description


The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffusor, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/ETinE87m5LpFrTs9QTjEyBAB3nk3hPu52y0wg_ITgCaZJg

CONSTRUCTION SPECIFICATION

Weight: 7.7 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS



BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ


2023_05
PAGE 1

DATASHEET

LED SOURCE



Download



CM16714


Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes







INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement



DATASHEET

Type: **BAMBOO FOREST**
Name: Pendant light
ID: US1329
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffuser with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description


The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffuser, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/Eb1j0MJz7cBLpst9Axe45soBfjzac6OFt1nxvQmrl3pCZQ

CONSTRUCTION SPECIFICATION

Weight: 7.7 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS



BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ


2023_05
PAGE 1

DATASHEET

LED SOURCE



Download



CM16714


Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes







INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement



DATASHEET

Type: **BAMBOO FOREST**
Name: Pendant light
ID: US1330
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffuser with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description


The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffuser, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/EcFwVg7-E09Pk8Nt4c6HS7QBmYRqXq85oZwblycrqLXyQ

CONSTRUCTION SPECIFICATION

Weight: 9.26 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS



BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ


2023_05
PAGE 1

DATASHEET

LED SOURCE



Download



CM16714


Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes







INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement



DATASHEET

Type: **BAMBOO FOREST**
Name: Pendant light
ID: US1331
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffusor with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description


The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffusor, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b/s/brokis_sp/EacyuvDceIFPhg0oeMoL43UBZCzOG2Lkb3K19qyFfr9_jA

CONSTRUCTION SPECIFICATION

Weight: 9.26 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS




BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2023_05
PAGE 1




CM16714

Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes





INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement



DATASHEET

Type: **BAMBOO FOREST**
Name:
ID: US1332
Designed by: Fumie Shibata Desing SS company



Download

Description

Bamboo Forest by Fumie Shibata draws inspiration from the vertical contours rising up in stands of bamboo. Conceived to evoke a unique atmospheric ambience, the handsculpted glass forms a bamboo stalk complete with the typical nodal ring, where the material thickens, creating a soft accent in the form of subtle shadows. With different types and varying positions of the node on the stalks, thanks to which the origins of the collection are at once recognizable, compositions of multiple lights transform the interior into a sanctuary replete with the soothing tranquillity of a natural bamboo forest. The lights also work well as solitary pieces. A diffuser with 90% transparency bends the light and creates a striking accent in the interior. The lights in the Bamboo Forest collection come in six different types and are available in either opaline or brown or light grey smoke glass. The innovative BROKIS connector enhances the overall variability of the lights by simplifying not only installation of large sets but also maintenance and cleaning. Furthermore, the connectors make it easy to rearrange the lights for a refreshing new lumiscape any time the mood strikes. Bamboo Forest is unique for the unusual shape of the lights as well as for the possibilities the collection offers in creating both original combinations and single-point accent lighting in interior spaces.



Tech. description


The pendant comprises an outer dural fixture housing an LED module, an inner dural fixture, a diffuser, and a glass shade anchored between the two fixtures via a threaded connection. The pendant is hung from a metal ceiling canopy containing the electronics by means of the power cable fitted with a BROKIS connector.

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/ERnFAzsY9SNAj3CUogG8UCABiTzWyXNiyeZoNVwRFY7PQ

CONSTRUCTION SPECIFICATION

Weight: 9.7 lb
Construction material: glass, metal
Cord length [in]: 86.61
Mounting: Ceiling
Environment: Dry

DIMENSIONS [in]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 7.7 W
Coverage IP: 20
Light source: LED module

CERTIFICATIONS




BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2023_05
PAGE 1




CM16714

Type	LED module
Lamp wattage [W]	6.5 W
Input voltage [V]	24 VDC
Energy class	E
Flux [lm]	735 lm
Light colour [K]	2700 K
CRI	90+
Dimmable	yes



INNER FIXTURE

Dimensions O x w [in] 6.96 x 1.97 "
Weight [lb] 2.65 lb
Material metal



Drawing

Hole placement

