

**Fucsia 1 - Specification Sheet**  
by Achille Castiglioni, 1996

**Mounting**

Lamp (Bulb) Description	1 x 40W R50 E14 Reflector Incandescent
Environment	Indoor - Dry Location
Finish	Glass
Technical and Product Description	FUCSIA 1 pendant fixture providing both diffused and direct light. Conical blown glass diffuser with a 1.5" sandblasted edge and a translucent silicone ring. Available in various configurations with corresponding white ceiling rose. Non UL version has clear cord.

**Electrical**

Voltage	120
Switching	NA


**Physical**

Cord Length (inches)	192
Construction Material	Glass, Silicone, Steel
Weight	5 lbs



FU241000 Glass

**Dimensional Image**



**Certifications**



**Lamping (Bulb)**



40W R50 E14 Reflector Incandescent

**Fucsia 3 - Specification Sheet**  
by Achille Castiglioni, 1996

**Mounting**


Lamp (Bulb) Description	3 x 40W R50 E14 Reflector Incandescent
Environment	Indoor - Dry Location
Finish	Glass
Technical and Product Description	FUCSIA 3 pendant fixture providing both diffused and direct light. Three conical blown glass diffuser with a 1.5" sandblasted edges and translucent silicone rings. Available in various configurations with corresponding white ceiling rose. Non UL version has clear cord

**Electrical**

Voltage	120
Switching	NA


**Physical**

Cord Length (inches)	192
Construction Material	Glass, Silicone, Steel
Weight	13 lbs



FU241100 Glass

**Dimensional Image**



**Certifications**



**Lamping (Bulb)**



40W R50 E14 Reflector Incandescent

**Fucsia 8 - Specification Sheet**  
by Achille Castiglioni, 1996

**Mounting**

Lamp (Bulb) Description	8 x 40W R50 E14 Reflector Incandescent
Environment	Indoor - Dry Location
Finish	Glass
Technical and Product Description	FUCSIA 8 pendant fixture providing both diffused and direct light. Eight conical blown glass diffusers with 1.5" sandblasted edges and translucent silicone rings. Available in various configurations with corresponding white ceiling rose. Non UL version has clear cord.

**Electrical**

Voltage	120
Switching	NA


**Physical**

Cord Length (inches)	192
Construction Material	Glass, Silicone, Steel
Weight	34 lbs



FU241600 Glass

**Dimensional Image**



**Lamping (Bulb)**



40W R50 E14 Reflector Incandescent

**Fucsia 12 - Specification Sheet**  
by Achille Castiglioni, 1996

**Mounting**

Lamp (Bulb) Description	12 x 40W R50 E14 Reflector Incandescent
Environment	Indoor - Dry Location
Finish	Glass
Technical and Product Description	FUCSIA 12 pendant fixture providing both diffused and direct light. Twelve conical blown glass diffusers with 1.5" sandblasted edges and translucent silicone rings. Available in various configurations with corresponding white ceiling rose. Non UL version has clear cord

**Electrical**

Voltage	120
Switching	NA


**Physical**

Cord Length (inches)	192
Construction Material	Glass, Silicone, Steel
Weight	48 lbs



FU241700 Glass

**Dimensional Image**



**Lamping (Bulb)**



40W R50 E14 Reflector Incandescent